

3M Canada Company
1840 Oxford Street East, Post Office Box 5757
London, Ontario N6A 4T1
Medical Emergency Telephone: (519) 451-2500, Ext. 2222
Transportation Emergency Telephone (CANUTEC): (613) 996-6666



=====
Material Safety Data Sheet
=====

Document id : 11-0029-6 Issue date : 2008/09/30
Version : 12.00 Supersedes date : 2007/06/08

Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Prepared by: Corporate Regulatory Services, 3M Canada Company
Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca

1 Product Identification

Tradename:
3M CITRUS BASE CLEANER (AEROSOL)
Product ID:
62-4615-1730-2 62-4615-4930-5 62-4615-4935-4
Intended Use of Product:
Cleaner;
Division:
INDUSTRIAL ADHESIVES AND TAPES

2 Composition/Information on Ingredients

Ingredient Name	CAS Number	Percentage
D-LIMONENE	5989-27-5	70 - 80
PROPANE (AS PROPELLANT)	74-98-6	10 - 20
NONIONIC SURFACTANT MIX	Trade Secret	7 - 13

NOTE:

Nonionic Surfactant Mix is a non-hazardous Trade Secret material according to WHMIS criteria.

Each percentage is expressed as the ratio of the weight of the ingredient to the weight of the controlled product.

3 Hazards Identification

Critical Hazards:

Aerosol container contains flammable gas under pressure.

Extremely flammable liquid and vapour.

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Moderate Skin Irritation: Signs/symptoms can include localized redness, swelling, itching, and dryness.

See Sections 7 and 11 for further information.

4 First Aid Measures

Instructions for Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

Instructions for Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

Instructions for Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

Instructions for Ingestion:

Do not induce vomiting. Get immediate medical attention.

5 Fire Fighting Measures

Flash point:

-45.6 C

Lower Explosive Limit (%):

Not applicable

Upper Explosive Limit (%):

No data available.

Autoignition temperature:

Not Available

Suitable Extinguishing Media:

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

Exposure Hazards during Fire:

Vapours may travel long distances along the ground or floor to an ignition source and flash back.

Combustion Products from Fire:

Aldehydes - During Combustion;

Hydrocarbons - During Combustion;

Carbon monoxide - During Combustion;

Carbon dioxide - During Combustion;

Ketones - During Combustion;

Fire Fighting Procedures:

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

NFPA: Health	2
NFPA: Fire	4
NFPA: Reactivity	1
NFPA: Unusual Reaction Hazard	none

Special Instructions:

Aerosol container contains flammable material under pressure.

6 Accidental Release Measures

Personal Precautions:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Call 3M-HELPS line (1-800-364-3577) for more information on handling and managing the spill.

Spill Response:

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Remove all ignition sources such as flames, smoking materials, and electrical spark sources. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Contain spill. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Cover spill area with a fire-extinguishing foam. An aqueous film forming foam (AFFF) is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and MSDS. Collect the resulting residue containing solution. Place in a metal container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

7 Handling and Storage

Storage Requirements:

No data available.

Incompatible Materials:

Store away from heat;
Store out of direct sunlight.
Store away from acids;

Ventilation:

No data available.

Fire Prevention:

Aerosol container contains flammable gas under pressure. Extremely flammable liquid and vapour.

Explosion Prevention:

Keep away from heat, sparks, open flame, pilot lights and other sources of ignition.

8 Exposure Controls/Personal Protection

Personal Protection

Eye Protection:

Avoid eye contact with vapours, mists, or spray.
The following should be worn alone or in combination, as appropriate, to prevent eye contact:
Safety glasses with side shields

Hand Protection:

Wear appropriate gloves when handling this material.
The following glove material(s) are recommended:
nitrile rubber;
polyvinyl alcohol;

Skin Protection:

Avoid skin contact.
Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials.

Respiratory Protection:

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with regulations:
Half facepiece or fullface air-purifying respirator with organic vapor cartridges.

Ingestion (Prevention):

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

Recommended Ventilation:

Use with appropriate local exhaust ventilation.

Do not use in a confined area or areas with little or no air movement.

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control mist, vapour, or spray. If ventilation is not adequate, use respiratory protection equipment.

Ingredient Exposure Data

D-LIMONENE (5989-27-5)	
LD50 (rat, oral)	4400 mg/kg
LC50 (rat, inhalation/4 hours)	No data available.
Exposure Limits	
No data available.	
PROPANE (AS PROPELLANT) (74-98-6)	
Specific Ingredient Data	
No data available.	
LD50 (rat, oral)	No data available.
LC50 (rat, inhalation/4 hours)	No data available.
Exposure Limits	
ACGIH: TWA 1000 ppm	
NONIONIC SURFACTANT MIX (Trade Secret)	
LD50 (rat, oral)	No data available.
LC50 (rat, inhalation/4 hours)	No data available.
Exposure Limits	
No data available.	

9 Physical and Chemical Properties

Physical form, Color, Odour:	Gas; Aerosol Clear; pale yellow; sweet odour;
Odour Threshold:	No data available.
pH:	Not applicable
Boiling point/boiling range:	No data available.
Melting point/melting range:	Not Available
Vapour pressure:	◆ 28 mmHg at 20 C Composite Vapour Pressure Calculated
Water Solubility:	Slight < 10 %
Specific gravity:	◆ 0.784 Water=1
Vapour density:	Not applicable
Volatile organic compounds:	Approx 91 % Calculated per SCAQMD Rule 443.1
Evaporation rate:	Not applicable
Viscosity:	Not applicable
Percent Volatile:	Approximately 91 % by weight

10 Stability and Reactivity

Conditions to Avoid:

Heat;

Store out of direct sunlight.

Materials to Avoid:

Store away from acids;

Hazardous Decomposition:

Aldehydes - During Combustion;

Hydrocarbons - During Combustion;

Carbon monoxide - During Combustion;

Carbon dioxide - During Combustion;

Ketones - During Combustion;

Stability and Reactivity:

Stable. Hazardous polymerization will not occur.

11 Toxicological Information

Effects from Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Effects from Skin Contact:

Moderate Skin Irritation: Signs/symptoms can include localized redness, swelling, itching, and dryness.

Effects from Inhalation:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Effects from Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhea and vomiting.

Sensitization Information:

No data available.

Carcinogenicity:

No data available.

Mutagenicity:

No data available.

Reproductive Effects:

No data available.

Component Based Information:

No data available.

Product Based Information:

No data available.

12 Ecological Information

Environmental Data:

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

13 Disposal Considerations

Product as Sold:

Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility. The facility should be equipped to handle gaseous waste. Dispose of empty product containers in a sanitary landfill.

Product Packaging:

No data available.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

14 Transport Information

Transportation of Dangerous Goods

TDG Classification:

Consumer Commodity

Special Information:: Contact 3M for more information.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for Canadian ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

International Dangerous Goods Classification

15 Regulatory Information

WHMIS Classification: A, B5, D2B

NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Product Certifications:

The product on this MSDS, or all its components, is included on the following countries' chemical inventories, as noted:

- AICS - Australian Inventory of Chemical Substances
- DSL - Domestic Substances List (Canada)
- EINECS - European Inventory of Existing Commercial Chemical Substances
- TSCA - Toxic Substances Control Act (USA)
- CICS - Chinese Inventory of Chemical Substances
- KECI - Korean Existing Chemicals Inventory
- MITI - Ministry of International Trade and Industry (JAPAN)
- PICCS - Philippines Inventory of Commercial Chemical Substances

16 Other Information

Reason for Reissue:

The following Sections and topics have been updated or revised:

- Section NOTE
- Section 4 - First Aid Measures;
- Section 8 - Exposure Controls/Personal Protection;

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.