

3M Canada Company  
1840 Oxford Street East, Post Office Box 5757  
London, Ontario N6A 4T1  
Medical Emergency Telephone: (519) 451-2500, Ext. 2222  
Transportation Emergency Telephone (CANUTEC): (613) 996-6666

=====  
Material Safety Data Sheet  
=====

Document id : 20-9994-3 Issue date : 2007/06/08  
Version : 4.00 Supersedes date : 2006/07/14

Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Prepared by: Corporate Regulatory Services, 3M Canada Company  
Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca

-----  
1 Product Identification  
-----

Tradename:

3M(TM) SPRAY 80 W/ BONUS CITRUS BASE CLEANER BUNDLE

Product ID:

CS-0406-7161-5

Intended Use of Product:

This product is a kit or a multipart product which consists of multiple, independently packaged components. An MSDS for each of the WHMIS controlled components is included. An MSDS for non-WHMIS controlled components may also be included. Please do not separate the component MSDSs from this cover page. The document numbers of the MSDSs for components of this product are:

Kit component(s):

- 11-0029-6 3M CITRUS BASE CLEANER (AEROSOL)
- 16-6322-8 3M(TM) RUBBER AND VINYL SPRAY ADHESIVE 80

Division:

ZD - 3M Canada Company

3M Canada Company

1840 Oxford Street East, Post Office Box 5757

London, Ontario N6A 4T1

Medical Emergency Telephone: (519) 451-2500, Ext. 2222

Transportation Emergency Telephone (CANUTEC): (613) 996-6666

=====  
Material Safety Data Sheet  
=====

Document id : 16-6322-8 Issue date : 2006/07/14  
Version : 9.00 Supersedes date : 2004/02/10

Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Prepared by: Corporate Regulatory Services, 3M Canada Company  
Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca

-----  
1 Product Identification  
-----

Tradename:

3M(TM) RUBBER AND VINYL SPRAY ADHESIVE 80

Product ID:

CS-0406-6931-2 CS-0406-7113-6 CS-0406-7099-7 CS-0406-7110-2  
CS-0406-7116-9 CX-1406-2990-0 62-4949-4925-8 62-4949-4930-8  
62-4949-4935-7

Intended Use of Product:

Aerosol Adhesive

Division:

INDUSTRIAL ADHESIVES AND TAPES

-----  
2 Composition/Information on Ingredients  
-----

Ingredient Name	CAS Number	Percentage
METHYL ACETATE	79-20-9	30 - 40
DIMETHYL ETHER	115-10-6	25 - 35
CYCLOHEXANE	110-82-7	10 - 20
NON-VOLATILE COMPONENTS	Trade Secret	10 - 20
TOLUENE	108-88-3	3 - 7
METHYL ALCOHOL	67-56-1	0.1 - 0.5

NOTE:

NON-VOLATILE COMPONENTS is a non-hazardous Trade Secret material according to WHMIS criteria.

-----  
Each percentage is expressed as the ratio of the weight of the ingredient to the weight of the controlled product.  
-----

3 Hazards Identification  
-----

Critical Hazards:

- Flammable liquified gas.
- Aerosol container contains flammable gas under pressure.
- Extremely flammable liquid and vapour.
- Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
- May be absorbed through skin and cause target organ effects.
- May be absorbed following inhalation and cause target organ effects.
- May be absorbed following ingestion and cause target organ effects.
- TOLUENE (108-88-3): can cause birth defects or other reproductive harm.
- METHYL ALCOHOL (67-56-1): can cause birth defects or other reproductive harm.

See Sections 7 and 11 for further information.

---

#### 4 First Aid Measures

---

##### Instructions for Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

##### Instructions for Skin Contact:

Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

##### Instructions for Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

##### Instructions for Ingestion:

Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

---

#### 5 Fire Fighting Measures

---

Flash point: -45.56 C TCC

Lower Explosive Limit (%): Not available

Upper Explosive Limit (%): Not available

Autoignition temperature: Not available

##### Suitable Extinguishing Media:

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

##### Exposure Hazards during Fire:

No data available.

---

##### Combustion Products from Fire:

Carbon Monoxide; Carbon Dioxide;

##### Fire Fighting Procedures:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

NFPA: Health 2  
NFPA: Fire 4  
NFPA: Reactivity 0  
NFPA: Unusual Reaction Hazard none

Special Instructions:

Aerosol container contains flammable material under pressure.

---

## 6 Accidental Release Measures

---

Personal Precautions:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Call 3M-HELPS line (1-800-364-3577) for more information on handling and managing the spill.

Spill Response:

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Remove all ignition sources such as flames, smoking materials, and electrical spark sources. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Contain spill. Cover spill area with a fire-extinguishing foam. An aqueous film forming foam (AFFF) is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible using non-sparking tools. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and MSDS. Collect the resulting residue containing solution. Place in an approved metal container. Seal the container. Dispose of collected material as soon as possible.

-----  
-----  
7 Handling and Storage  
-----

Storage Requirements:

No data available.

Incompatible Materials:

Store away from heat;  
Store out of direct sunlight.  
Store away from acids;

Ventilation:

No data available.

Fire Prevention:

Flammable liquified gas. Aerosol container contains flammable gas under pressure. Extremely flammable liquid and vapour.

Explosion Prevention:

Keep away from heat, sparks, open flame, pilot lights and other sources of ignition.

-----  
-----  
8 Exposure Controls/Personal Protection  
-----

Personal Protection  
-----

Eye Protection:

Avoid eye contact with vapours, mists, or spray. The following should be worn alone or in combination, as appropriate, to prevent eye contact: Safety glasses with side shields

Hand Protection:

The following glove material(s) are recommended: nitrile rubber; fluoroelastomer (Viton);

Skin Protection:

Avoid skin contact.

Respiratory Protection:

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with regulations: Half facepiece or fullface air-purifying respirator with organic vapor cartridges.

Ingestion (Prevention):

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Keep out of the reach of children.

Recommended Ventilation:

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control mist, vapor, or spray. If ventilation is not adequate, use respiratory protection equipment. Use with functioning spray booth or local exhaust. Use with appropriate local exhaust ventilation. Do not use in a confined area or areas with little or no air movement.

-----  
Ingredient Exposure Data  
-----

METHYL ACETATE (79-20-9)

LD50 (rat, oral) > 5 g/kg  
LD50 (dermal, rabbit) > 5 g/kg  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
ACGIH: TWA 200 ppm  
ACGIH: TWA 606 mg/m3  
ACGIH: STEL 250 ppm  
ACGIH: STEL 760 mg/m3

DIMETHYL ETHER (115-10-6)

LD50 (rat, oral) No data available.  
LC50 (rat, inhalation/4 hours) 164000 ppm  
Exposure Limits  
CMRG: TWA 1000 ppm  
AIHA: TWA 1000 ppm

CYCLOHEXANE (110-82-7)

LD50 (rat, oral) 12,705 mg/kg  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
ACGIH: TWA 100 ppm

NON-VOLATILE COMPONENTS (Trade Secret)

Specific Ingredient Data

No data available.  
LD50 (rat, oral) No data available.  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
No data available.

TOLUENE (108-88-3)

Specific Ingredient Data

LD50 (female rat, inhalation/4 hours vapour) 19.0 mg/l  
 LD50 (rat, oral) 636 mg/kg  
 LD50 (dermal, rabbit) 14100 uL/kg  
 LC50 (rat, inhalation/4 hours) No data available.

Exposure Limits

ACGIH: TWA 50 ppm (skin contact contributes to exposure) (Table A4)  
 ACGIH: TWA 188 mg/m3 (skin contact contributes to exposure) (Table A4)  
 CMRG: STEL 75 ppm (skin contact contributes to exposure)

METHYL ALCOHOL (67-56-1)

LD50 (rat, oral) 5628 mg/kg  
 LD50 (dermal, rabbit) 15800 mg/kg  
 LC50 (rat, inhalation/4 hours) 64000 ppm

Exposure Limits

ACGIH: TWA 200 ppm (skin contact contributes to exposure)

ACGIH: TWA 260 mg/m3 (skin contact contributes to exposure)  
 ACGIH: STEL 250 ppm (skin contact contributes to exposure)  
 ACGIH: STEL 325 mg/m3 (skin contact contributes to exposure)

9 Physical and Chemical Properties

Physical form,Color,Odour: Gas; Liquid in aerosol; clear; sweet, fruity odour.  
 Odour Threshold: No data available.  
 pH: Not available  
 Boiling point/boiling range: Compressed Gas;  
 Melting point/melting range: Not available  
 Vapour pressure: Compressed Gas;  
 Water Solubility: Nil  
 Specific gravity: 0.827 Water=1  
 Vapour density: 2.97 Air=1  
 Volatile organic compounds: Approximately 55 % SCAQ443  
 Evaporation rate: 1.90 Ether=1



Viscosity: Not applicable  
Percent Volatile: Approximately 86 % by weight

---

## 10 Stability and Reactivity

---

### Conditions to Avoid:

Store away from heat;  
Store out of direct sunlight.

### Materials to Avoid:

Store away from acids;

### Hazardous Decomposition:

Carbon Monoxide; Carbon Dioxide;

### Stability and Reactivity:

Stable. Hazardous polymerization will not occur.

---

## 11 Toxicological Information

---

### Effects from Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Effects from Skin Contact:

Mild Skin Irritation: Signs/symptoms can include localized redness, swelling, and itching.

May be absorbed through skin and cause target organ effects.

### Effects from Inhalation:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Intentional concentration and inhalation may be harmful or fatal.

---

May be absorbed following inhalation and cause target organ effects.

### Effects from Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhea and vomiting.

May be absorbed following ingestion and cause target organ effects.

### Sensitization Information:

No data available.

Carcinogenicity:

No data available.

Mutagenicity:

No data available.

Reproductive Effects:

TOLUENE (108-88-3): can cause birth defects or other reproductive harm.

METHYL ALCOHOL (67-56-1): can cause birth defects or other reproductive harm.

Component Based Information:

No data available.

Product Based Information:

No data available.

Other Effects & Information:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Prolonged or repeated exposure may cause:

Liver Effects: Signs/symptoms may include loss of appetite, weight loss, fatigue, weakness, abdominal tenderness and jaundice.

Central Neuropathy: Signs/symptoms may include irritability, memory impairment, personality changes, sleep disorders, and decreased ability to concentrate.

May cause blindness.

Kidney Effects: Signs/symptoms may include reduced or absent urine production, increased serum creatinine, lower back pain, increased protein in urine, and increased blood urea nitrogen (BUN).

---

## 12 Ecological Information

---

Environmental Data:

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

-----  
13 Disposal Considerations  
-----

Product as Sold:

Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility. The facility should be equipped to handle gaseous waste. Combustion products will include HCl. Facility must be capable of handling halogenated materials. Recycle empty aerosol containers where available.

Product Packaging:

No data available.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

-----  
14 Transportation Information  
-----

Transportation of Dangerous Goods  
-----

TDG Classification:	Consumer Commodity
Class/Division:	2.1
Special Information:	Contact 3M for more information.

International Dangerous Goods Classification  
-----

-----  
15 Regulatory Information  
-----

WHMIS Classification:	A, B5, D2A, D2B CS-0406-7116-9: Exempt For Export Only.
-----------------------	---

NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Product Certifications:

The product on this MSDS, or all its components, is included on the following countries' chemical inventories, as noted:

TSCA - Toxic Substances Control Act (USA)

3M(TM) RUBBER AND VINYL SPRAY ADHESIVE 80

Page 9 of 9

-----  
-----  
16 Other Information  
-----

Reason for Reissue:

The following Sections and topics have been updated or revised:  
Added product id(s) to the MSDS;

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

---End---

3M Canada Company  
1840 Oxford Street East, Post Office Box 5757  
London, Ontario N6A 4T1  
Medical Emergency Telephone: (519) 451-2500, Ext. 2222  
Transportation Emergency Telephone (CANUTEC): (613) 996-6666

Material Safety Data Sheet

Document id : 11-0029-6 Issue date : 2007/06/08
Version : 11.00 Supersedes date : 2004/08/10

Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Prepared by: Corporate Regulatory Services, 3M Canada Company
Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca

1 Product Identification

Tradename:
3M CITRUS BASE CLEANER (AEROSOL)
Product ID:
62-4615-1730-2 62-4615-4930-5 62-4615-4935-4
Intended Use of Product:
Cleaner;
Division:
INDUSTRIAL ADHESIVES AND TAPES

2 Composition/Information on Ingredients

Table with 3 columns: Ingredient Name, CAS Number, Percentage. Rows include D-LIMONENE (5989-27-5, 70-80%), PROPANE (AS PROPELLANT) (74-98-6, 10-20%), and NONIONIC SURFACTANT MIX (Trade Secret, 7-13%).

NOTE:
NON-IONIC SURFACTANT is a non-hazardous Trade Secret material according to WHMIS criteria.

Each percentage is expressed as the ratio of the weight of the ingredient to the weight of the controlled product.

3M CITRUS BASE CLEANER (AEROSOL)

Page 2 of 9

---

### 3 Hazards Identification

---

#### Critical Hazards:

Aerosol container contains flammable gas under pressure.

Extremely flammable liquid and vapour.

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Moderate Skin Irritation: Signs/symptoms can include localized redness, swelling, itching, and dryness.

See Sections 7 and 11 for further information.

---

### 4 First Aid Measures

---

#### Instructions for Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

#### Instructions for Skin Contact:

Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

#### Instructions for Inhalation:

Remove person to fresh air. If signs/symptoms develop, get medical attention.

#### Instructions for Ingestion:

Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

---

### 5 Fire Fighting Measures

---

Flash point: -45.6 C

Lower Explosive Limit (%): Not applicable

Upper Explosive Limit (%): No data available.  
 Autoignition temperature: Not available  
 Suitable Extinguishing Media:  
 Ordinary combustibile material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).  
 Exposure Hazards during Fire:  
 Vapours may travel long distances along the ground or floor to an ignition source and flash back.  
 Combustion Products from Fire:  
 Aldehydes - During Combustion;  
 Hydrocarbons - During Combustion;  
 Carbon monoxide - During Combustion;  
 Carbon dioxide - During Combustion;  
 Ketones - During Combustion;  
 Fire Fighting Procedures:

-----

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

NFPA: Health	2
NFPA: Fire	4
NFPA: Reactivity	1
NFPA: Unusual Reaction Hazard	none

Special Instructions:

Aerosol container contains flammable material under pressure.

-----

6 Accidental Release Measures

-----

Personal Precautions:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Call 3M-HELPS line (1-800-364-3577) for more information on handling and managing the spill.

Spill Response:

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Remove all ignition sources such as flames, smoking materials, and electrical spark sources. Use only non-sparking tools. Ventilate the area

with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Contain spill. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Cover spill area with a fire-extinguishing foam. An aqueous film forming foam (AFFF) is recommended. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and MSDS. Collect the resulting residue containing solution. Place in a metal container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

---

---

## 7 Handling and Storage

---

---

### Storage Requirements:

No data available.

### Incompatible Materials:

Store away from heat; Store out of direct sunlight. Store away from acids;

### Ventilation:

No data available.

### Fire Prevention:

Aerosol container contains flammable gas under pressure. Extremely flammable liquid and vapour.

### Explosion Prevention:



Keep away from heat, sparks, open flame, pilot lights and other sources of ignition.

---

## 8 Exposure Controls/Personal Protection

---

### Personal Protection

---

#### Eye Protection:

Avoid eye contact.

Avoid eye contact with vapours, mists, or spray.

The following should be worn alone or in combination, as appropriate, to prevent eye contact:

Safety glasses with side shields

#### Hand Protection:

Wear appropriate gloves when handling this material.

The following glove material(s) are recommended:

nitrile rubber;

polyvinyl alcohol;

#### Skin Protection:

Avoid skin contact.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials.

#### Respiratory Protection:

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with regulations: Half facepiece or fullface air-purifying respirator with organic vapor cartridges.

#### Ingestion (Prevention):

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

#### Recommended Ventilation:

Use with appropriate local exhaust ventilation.

Do not use in a confined area or areas with little or no air movement.

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control mist, vapor, or spray. If ventilation is not adequate, use respiratory protection equipment.

Ingredient Exposure Data

D-LIMONENE (5989-27-5)

LD50 (rat, oral) 4400 mg/kg  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
No data available.

PROPANE (AS PROPELLANT) (74-98-6)

Specific Ingredient Data  
No data available.  
LD50 (rat, oral) No data available.  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
ACGIH: TWA 1000 ppm

NONIONIC SURFACTANT MIX (Trade Secret)

LD50 (rat, oral) No data available.  
LC50 (rat, inhalation/4 hours) No data available.  
Exposure Limits  
No data available.

9 Physical and Chemical Properties

Physical form,Color,Odour: Gas; Aerosol Clear;  
pale yellow; sweet odour;  
Odour Threshold: No data available.  
pH: Not applicable  
Boiling point/boiling range: No data available.  
Melting point/melting range: Not available  
Vapour pressure: 28 mmHg at 20 C Composite  
Vapour Pressure Calculated  
Water Solubility: Slight < 10 %  
Specific gravity: 0.784 Water=1  
Vapour density: Not applicable  
Volatile organic compounds: Approx 91 % Calculated per  
SCAQMD Rule 443.1  
Evaporation rate: Not applicable  
Viscosity: Not applicable

Percent Volatile:

Approximately 91 % by weight

3M CITRUS BASE CLEANER (AEROSOL)

Page 6 of 9

---

## 10 Stability and Reactivity

---

### Conditions to Avoid:

Store away from heat; Store out of direct sunlight.

### Materials to Avoid:

Store away from acids;

### Hazardous Decomposition:

Aldehydes - During Combustion;

Hydrocarbons - During Combustion;

Carbon monoxide - During Combustion;

Carbon dioxide - During Combustion;

Ketones - During Combustion;

### Stability and Reactivity:

Stable. Hazardous polymerization will not occur.

---

## 11 Toxicological Information

---

### Effects from Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Effects from Skin Contact:

Moderate Skin Irritation: Signs/symptoms can include localized redness, swelling, itching, and dryness.

### Effects from Inhalation:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### Effects from Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhea and vomiting.

### Sensitization Information:

No data available.

### Carcinogenicity:

No data available.

Mutagenicity:

No data available.

Reproductive Effects:

No data available.

Component Based Information:

No data available.

Product Based Information:

No data available.

---

12 Ecological Information

---

Environmental Data:

Ecotoxicity Data:

Not determined.

Ecofate Data:

Not determined.

---

13 Disposal Considerations

---

Product as Sold:

Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility. The facility should be equipped to handle gaseous waste. Dispose of empty product containers in a sanitary landfill.

Product Packaging:

No data available.

Special Instructions:

Since regulations vary, consult applicable regulations or authorities before disposal.

---

14 Transportation Information

---

Transportation of Dangerous Goods

-----  
TDG Classification: Consumer Commodity

Special Information:: Contact 3M for more information.  
These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for Canadian ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

International Dangerous Goods Classification  
-----

3M CITRUS BASE CLEANER (AEROSOL)

Page 8 of 9

-----  
15 Regulatory Information  
-----

WHMIS Classification: A, B5, D2B

NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Product Certifications:

The product on this MSDS, or all its components, is included on the following countries' chemical inventories, as noted:

- AICS - Australian Inventory of Chemical Substances
- DSL - Domestic Substances List (Canada)
- EINECS - European Inventory of Existing Commercial Chemical Substances
- TSCA - Toxic Substances Control Act (USA)
- CICS - Chinese Inventory of Chemical Substances
- KECI - Korean Existing Chemicals Inventory
- MITI - Ministry of International Trade and Industry (JAPAN)

PICCS - Philippines Inventory of Commercial Chemical Substances

-----  
16 Other Information  
-----

Reason for Reissue:

The following Sections and topics have been updated or revised:

Division name change.

Update Tradename

Section 3 - Hazards Identification - Critical Hazards;

Section 4 - First Aid Measures;

Section 5 - Fire Fighting Measures

Section 6 - Accidental Release Measures;

Section 7 - Handling and Storage;

Section 8 - Exposure Controls/Personal Protection;

Section 9 - Physical and Chemical Properties;

Section 10 - Stability and Reactivity;

Section 11 - Toxicological Information;

Section 12 - Ecological Information

Section 13 - Disposal Considerations;

Section 14 - Transportation Information

Section 15 - Regulatory Information: Product Certifications

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is

3M CITRUS BASE CLEANER (AEROSOL)

Page 9 of 9  
-----

fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

---End---