



# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

<b>Product name</b>	<b>H251660</b>
<b>MSDS name</b>	THERMOGRIP 6363-15 25LB CTN
<b>Product name(s) covered</b>	See Section 16 for Product Names Covered.
<b>CAS #</b>	Mixture
<b>Product use</b>	Hot Melt Adhesive
<b>Generic description</b>	EVA Based Formulation
<b>Manufacturer</b>	Bostik, Inc. 11320 Watertown Plank Road Wauwatosa, WI 53226 U.S.A.
<b>24 hour emergency assistance</b>	Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887
<b>General assistance</b>	Telephone: 1-414-774-2250
<b>MSDS assistance</b>	Telephone: 1-414-607-1224

## 2. Hazards Identification

<b>Emergency overview</b>	Contact with this material can cause irritation to the skin, eyes and mucous membranes. Contact with molten material will cause thermal burns.
<b>Potential health effects</b>	
<b>Eyes</b>	HOT MOLTEN material can cause irreversible eye injury and burns. Contact with SOLID material may cause irritation with temporary redness with stinging and tearing.
<b>Skin</b>	When it is heated, this material may cause thermal burns.
<b>Inhalation</b>	Inhalation of mist causes irritation of respiratory system.
<b>Ingestion</b>	Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. Molten material will produce burns to the gastrointestinal tract.
<b>Fire and explosion</b>	This product will not ignite under normal situations but can be ignited in the extreme heat associated with a fire. Vapors are lighter than air and should rise, accumulating in overhangs and ceilings. In a fire situation, exposed containers may build up pressure and burst explosively spewing hot material. Irritating and potentially harmful vapors may be released in a fire or spill situation.
<b>Hazard statements</b>	This product contains paraffin wax (CAS#s 8002-74-2, 8012-95-1, 64742-43-4 and/or 64742-51-4). Upon application of heat during use of this product in molten form, paraffin wax fume may be generated. American Conference of Governmental Industrial Hygienists (ACGIH) recommends a TLV of 2 mg/cu.m for paraffin wax fume. See Section 8 for recommended ventilation. Under normal conditions, paraffin wax fume generation should present no significant health hazard.

## 3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

## 4. First Aid Measures

<b>First aid procedures</b>	
<b>Eye contact</b>	If hot product contacts eye, flush with water for at least 15 minutes and seek medical attention immediately.
<b>Skin contact</b>	If hot product contacts skin, cool under running water and get medical attention. Cool melted product on skin with plenty of water. Do not remove solidified product.
<b>Inhalation</b>	Move to fresh air in case of accidental inhalation of vapours or decomposition products. If symptoms persist, get medical attention.
<b>Ingestion</b>	If ingested, get immediate medical attention. Do not induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to a victim who is unconscious or is having convulsions.

## 5. Fire Fighting Measures

<b>Hazardous combustion products</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry chemical, foam, carbon dioxide. A solid stream of water may scatter molten product.
<b>Fire fighting equipment/instructions</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Dust explosion hazard</b>	None Known
<b>Sensitivity to static discharge</b>	None Known
<b>Unusual fire &amp; explosion hazards</b>	Do not use water on molten adhesive to avoid splattering and spreading of fire.
<b>Flash point</b>	> 200 °F (> 93.3 °C)

## 6. Accidental Release Measures

<b>Emergency action</b>	Wear appropriate protective equipment and clothing during clean-up. Follow all Local, State, Federal and Provincial regulations for disposal.
<b>Containment procedures</b>	Isolate spill area. Stop discharge if safe to do so. Pellet or chip spill: Collect and contain for salvage or disposal. Molten adhesive spill: Placard hot material, allow to cool and remove. Collect and contain for salvage or disposal. Stop material from contaminating soil or from entering sewers or water streams.
<b>Reporting</b>	See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements.

## 7. Handling and Storage

For Commercial Use Only - Not Packaged or Labeled for Home Use!

<b>Handling</b>	Avoid contact with skin and eyes. Avoid contact with molten material. Wash thoroughly after handling. Avoid breathing fumes if this product is used at high temperatures. Use this product with adequate ventilation.
<b>Storage</b>	Keep the container tightly closed and dry.
<b>Empty container precaution</b>	Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

## 8. Exposure Controls / Personal Protection

<b>Engineering controls</b>	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.
<b>Personal protective equipment</b>	
<b>Eye protection</b>	Wear safety glasses; chemical goggles for fumes which may arise from thermal processing. Wear chemical goggles; face shield (if handling molten material).
<b>Skin and body protection</b>	Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves. For molten product, use any type rubber thermal insulating gloves and other clothing as necessary to protect from thermal burns.
<b>Respiratory protection</b>	When dusts or thermal processing fumes are generated and ventilation is not sufficient to effectively remove them, appropriate NIOSH/MSHA approved respiratory protection must be provided.
<b>General</b>	Eye wash fountain and emergency showers are recommended.

## 9. Physical & Chemical Properties

<b>Target solids</b>	100 %
<b>pH</b>	N/A
<b>Density</b>	0.98 g/cc
<b>Odor</b>	Mild
<b>Color</b>	Straw
<b>Physical state</b>	Solid

**Freeze protect** No

## 10. Chemical Stability & Reactivity Information

**Hazardous reactions/decomposition products** Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

**Hazardous polymerization** Will not occur.

**Conditions to avoid** Do not add water or other volatile material to molten adhesive. Avoid excessive overheating.

**Stability** Stable under normal conditions. This product may react with strong acids, bases and oxidizing agents.

## 11. Toxicological Information

**Carcinogenicity** If this product contains any carcinogens, they will be noted below:

## 12. Ecological Information

Bostik's hot melt adhesives are manufactured without the intentional use of volatile organic compounds and/or hazardous air pollutants regulated by the EPA in the Clean Air Act Amendment of 1990.

**Ecotoxicological information** No data available for this product.

## 13. Disposal Considerations

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

**Waste disposal** Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

## 14. Transport Information

### DOT

Not regulated as hazardous goods.

### IATA

Not regulated as hazardous goods.

### IMDG

Not regulated as hazardous goods.

## 15. Regulatory Information

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200

The product(s) covered by this M(SDS) do not include any of the 15 substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by ECHA on October 28, 2008 or the list of 15 substances proposed on August 31, 2009 or the list of 14 substances proposed on January 13, 2010 above a concentration of 0.1% weight by weight (w/w).

**Federal regulations** All components are on the U.S. EPA TSCA Inventory List.

**State regulations** This product may contain an ingredient(s) known to the State of California to cause cancer, birth defects, and/or other reproductive harm. If any of the ingredients in this product are subject to the Proposition 65 regulations they will be listed as such on the product label.

**International regulations** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

### HMIS Ratings

Health: 1  
Flammability: 1  
Physical hazard: 0  
Personal protection: X

### SARA 311/312 HAZARD CATEGORIES

Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**WHMIS status**

Non-controlled

## **16. Other Information**

**Disclaimer**

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

**Issue date**

01/24/2010

**Prepared by**

David Priebe

**Supersedes**

12/21/2009

**This data sheet contains changes from the previous version in section(s):**

Composition / Information on Ingredients: Component information  
Regulatory Information: State regulations  
Regulatory Information: Default Statements