


NFPA Hazard Rating



0 = Minimum 1 = Light 2 = Moderate 3 = Serious 4 = Extreme

MATERIAL SAFETY DATA SHEET

L-40E

Section 1 - Product Identification

Walter Surface Technologies 5977 Transcanada Highway Pointe-Claire, Quebec H9R 1C1 Emergency: CANUTEC (613) 996-6666	Trade name: Product name: Order no.: WHMIS Classification: Controlled under WHMIS:	Slap Shot Industrial parts cleaner/degreaser 53-C 503, 53-C 506, 53-C 507, 53-C 508 B2, D2B Yes
--	--	--

Section 2 - Hazardous Ingredients

Ingredients	CAS Number	% by Weight	LD50RAT	LC50RAT
Distillate (petroleum) hydrotreated light	64742-49-0	70 - 90	N/Av	N/Av
Dimethyl Ketone	67-64-1	10 - 30	8,5 mg/kg	N/Av

Section 3 - Physical / Chemical Characteristics

Physical state: Liquid	Odour & appearance: Like kerosene, colourless	Odour threshold: N/Av
pH: N/Av	Boiling point: > 60°C	Freezing point: < -30°C
Specific gravity: 0,78 g/ml @ 25°C	Vapour pressure: 200 hPa	Vapour density: N/A
Evaporation rate: Fast	VOC g/l: 780	Water solubility: Non-miscible

Section 4 - Fire & Explosion Hazard

Flammability: Yes	Conditions: Avoid flamme, spark or any other energy source
Flashpoint: - 24°C	Extinguishing media: Foam, dry powder, CO ₂ .
Auto ignition temperature: 510°C	Hazardous combustion products: Carbon monoxide and dioxide
Flammable limits (%): Upper: 13 Lower: 0,8	Sensitivity to mechanical impact or static discharge: N/Av

Section 5 - Reactivity Data

Chemical stability: Yes	Reactivity conditions: Keep away from ignition source.
Conditions: Under normal conditions.	
Incompatible substances: Oxidizing agents	
Hazardous decomposition products: N/Av	

Section 6 - Toxicological Data

Route of entry: Eye and skin contact, inhalation, ingestion.

Acute exposure effects: Frequent and long skin contact can cause irritation and inflammation.

Chronic exposure effects: Prolonged contact may cause skin and eye irritation.

Exposure limits (TLV/TWA): N/Av

<u>Carcinogenicity</u>	<u>Mutagenicity</u>	<u>Reproductive toxicity</u>	<u>Teratogenicity</u>	<u>Synergistic effects</u>
No	No	No	No	No

If yes to any of the above, specify:

Section 7 - Preventive Measures

Protective equipment:	Eyewear, gloves, mask.
Handling procedures:	Follow instruction on packaging.
Waste disposal methods:	Dispose as per municipal, provincial and federal regulations.
Leak/spill procedures:	Soak up with absorbent material, place in approved container.
Storage requirements:	Store below 50°C.
Engineering controls:	Provide adequate ventilation.
Handling equipment:	N/Av
Special shipping information:	Flammable liquid N.O.S. (Acetone), Class 3, UN1993, P.G.II

Section 8 - First Aid Measures

Skin contact:	Rinse with water until substance is removed from skin.
Eye contact:	Rinse eyes thoroughly with water for 20 minutes. Consult a physician if needed.
Inhalation:	Remove victim to fresh air. Do not give stimulants. Consult a physician if needed.
Ingestion:	Do not induce vomiting. Do not give stimulants. Consult a physician if needed.
Other:	Consult a physician if necessary.

Section 9 - Preparation of MSDS

Prepared by:	International Product Manager - Chemical Tools
Telephone:	1-888-592-5837
Date:	July 9 th , 2007

This data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.