


NFPA Hazard Rating



0 = Minimum 1 = Light 2 = Moderate 3 = Serious 4 = Extreme

MATERIAL SAFETY DATA SHEET

L-64E

Section 1 - Product Identification

J. WALTER COMPANY LTD.

5977 Transcanada Highway

Pointe-Claire, Quebec

H9R 1C1

Emergency: CANUTEC (613) 996-6666

Trade name:

Slap Shot PL

Product name:

Cleaner/degreaser, safe on plastics

Order no.:

53-C 552

WHMIS Classification:

A, B2, D2B

Controlled under WHMIS: Yes

Section 2 - Hazardous Ingredients

<u>Ingredients</u>	<u>CAS Number</u>	<u>% by Weight</u>	<u>LD₅₀RAT</u>	<u>LC₅₀RAT</u>
Distillates (petroleum) HydroTreated Light (C4-C11) N	64742-49-0	>70	N/Av	N/Av
Isopropanol	67-63-0	1-10	5045 mg/kg	66100 mg/m ³
Carbon Dioxide	124-38-9	1-10	VEMP 5,000 ppm VECD 30,000 ppm	9,000 ml/m ³ 54,000 ml/m ³

Section 3 - Physical / Chemical Characteristics

Physical state: Aerosol

Odour & appearance: Characteristic, colorless

Odour threshold: N/Av

pH: N/A

Boiling point: N/Av

Freezing point: N/Av

Specific gravity: 0,72 g/ml @ 20°C

Vapour pressure: 6200 hPa

Vapour density: N/Av

Evaporation rate: Fast

VOC g/l: 690

Water solubility: Insoluble

Section 4 - Fire & Explosion Hazard

Flammability: Yes

Conditions: Source of flame or spark.

Flashpoint: -60°C

Extinguishing media: CO₂, dry chemical powder, foam

Auto ignition temperature: 510°C

Hazardous combustion products: Carbon oxides

Flammable limits (%): Upper: 32 Lower: 1.4

Sensitivity to mechanical impact or static discharge: No

Section 5 - Reactivity Data

Chemical stability: Yes

Conditions: Normal conditions.

Reactivity conditions: Source of ignition, heat.

Incompatible substances: Oxidizing agents.

Hazardous decomposition products: Carbon oxides.

MATERIAL SAFETY DATA SHEET

L-64E

Section 6 - Toxicological Data

Route of entry: Eye and skin contact, inhalation, ingestion.

Acute exposure effects: Prolonged contact with skin may cause irritation. Inhalation of high concentrates may cause irritation of lungs and respiratory passages.

Chronic exposure effects: Prolonged contact may cause irritation to eyes and skin.

Exposure limits (TLV/TWA): N/Av

<u>Carcinogenicity</u>	<u>Mutagenicity</u>	<u>Reproductive toxicity</u>	<u>Teratogenicity</u>	<u>Synergistic effects</u>
No	No	No	No	No

If yes to any of the above, specify:

Section 7 - Preventive Measures

Protective equipment:	Eyewear, gloves.
Handling procedures:	Keep container tightly closed.
Waste disposal methods:	Dispose as per municipal, provincial and federal regulations.
Leak/spill procedures:	Eliminate all sources of ignition, use inert absorbent material.
Storage requirements:	Below 50°C, away from any source of ignition.
Engineering controls:	Ensure adequate ventilation.
Handling equipment:	N/A
Special shipping information:	Aerosol, Class 2.1, UN 1950

Section 8 - First Aid Measures

Skin contact:	Rinse thoroughly with water and soap.
Eye contact:	Rinse thoroughly with plenty of clean water.
Inhalation:	Remove victim to fresh air. Do not give stimulants.
Ingestion:	Do not induce vomiting. Rinse mouth with water and give plenty of water to drink.
Other:	Consult a physician if necessary.

Section 9 - Preparation of MSDS

Prepared by:	International Product Manager - Chemical Tools
Telephone:	1-888-592-5837
Date:	October 8 th , 2008

This data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

N/A - Not Applicable

N/Av - Not Available

Page 2 of 2